International Appl. No. PCT/IB2003/003936 Attorney Docket No.: 58763.000029

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

LISTING OF CLAIMS

- 1. (currently amended): A method for enhancing *in vitro* synthesis of proteins and fragments thereof in a cell-free system <u>comprising eontaining</u> endogenous adenosine 5' phosphosulfate where ATP is required as a primary energy source, <u>comprising enriching wherein</u> said cell-free system <u>is enriched</u> with ATP-sulfurylase.
- 2. (currently amended): A method according to claim 1, wherein the cell free system <u>further</u> comprises exogenous adenosine 5' phosphosulfate.
- 3. (currently amended): The method according to anyone of claim[[s]] 1 [[or 2]], wherein said *in vitro* synthesis also comprises also transcription of mRNA from a DNA template.
- 4. (currently amended): A method according to anyone of claim[[s]] 1 [[to 3]], comprising carrying out wherein said *in vitro* synthesis is carried out in a reaction vessel as a batch reaction, semi continuously or continuously.
- 5. (currently amended): A method according to anyone of claim[[s]] 1 [[to 4]], comprising adding wherein ATP-sulfurylase is added to the cell-free system at the beginning and/or during the *in vitro* synthesis or at intervals during the *in vitro* synthesis.
- 6. (currently amended): A method according to anyone of claim[[s]] 1 [[to 5]], wherein the cell-free system comprises a cell-free extract prepared from cells transformed with a vector over-expressing ATP-sulfurylase.
- 7. (currently amended): A method according to anyone of claim[[s]] 1 [[to 6]], comprising adapting wherein ATP-sulfurylase concentration is adapted according to the experimental conditions and the biological macromolecules to be synthesized.
- 8. (currently amended): A method according to anyone of claim[[s]] 1 [[to 7]], wherein ATP-sulfurylase is present in the cell-free system at an initial concentration of at least

International Appl. No. PCT/IB2003/003936 Attorney Docket No.: 58763.000029

about 0.1 U/ml.

- 9. (currently amended): A cell-free system <u>comprising</u> components that are capable of translating messenger ribonucleic acid encoding a desired protein enriched with ATP-sulfurylase.
- 10. (previously presented): A cell-free system according to claim 9 comprising exogenous adenosine 5' phosphosulfate.
- 11. (currently amended): A cell-free system according to anyone of claim[[s]] 9 [[or 10]] comprising all substances necessary for the translation of mRNA and transcription of mRNA from a DNA template.
- 12. (currently amended): A cell-free system according to anyone of claim[[s]] 9 [[to 11]], wherein extra ATP-sulfurylase is derived from <u>a</u> prokaryotic organism, <u>an</u> eukaryotic organism, <u>a</u> transgenic vector, <u>a</u> bacterial cell that has been genetically modified, *E. coli* extract, or is purified.
- 13. (currently amended): A cell-free system according to anyone of claim[[s]] 9 [[to 12]], wherein the cell-free extract enriched with ATP-sulfurylase is prepared from cells transformed with a vector over-expressing ATP-sulfurylase.
- 14. (currently amended): A cell-free system according to anyone of claim[[s]] 9 [[to 13]], wherein ATP-sulfurylase is present in a concentration of at least about 0.1 U/ml.
- 15. (currently amended): A cell-free extract <u>comprising containing</u> components that are capable of translating messenger ribonucleic acid encoding a desired protein enriched with ATP-sulfurylase.
- 16. (previously presented): A cell-free extract according to claim 15 comprising exogenous adenosine 5' phosphosulfate.
- 17. (currently amended): A cell-free extract according to anyone of claim[[s]] 15 [[or 16]] comprising all substances necessary for the translation of mRNA and transcription of mRNA from a DNA template.

International Appl. No. PCT/IB2003/003936 Attorney Docket No.: 58763.000029

18. (currently amended): A cell-free extract according to anyone of claim[[s]] 15 [[to 17]], wherein extra ATP-sulfurylase is derived from <u>a</u> prokaryotic organism, <u>a</u> eukaryotic organism, <u>a</u> transgenic vector, <u>a</u> bacterial cell that has been genetically modified, <u>an</u> *E. coli* extract, or is purified.

- 19. (currently amended): A cell-free extract according to anyone of claim[[s]] 15 [[to 18]] prepared from cells transformed with a vector over-expressing ATP-sulfurylase.
- 20. (currently amended): A cell-free extract according to anyone of claim[[s]] 15 [[to 19]], wherein ATP-sulfurylase is present in a concentration of at least about 0.1 U/ml.
- 21. (new): A method for enhancing *in vitro* synthesis of polypeptides, comprising:(a) providing a cell-free system comprising mRNA and adenosine5' phosphosulfate and enriched with ATP-sulfurylase; and
 - (b) translating said mRNA.
- 22. (new): A cell-free system for mRNA translation comprising components for cell-free mRNA translation, wherein said system is enriched with ATP-sulfurylase.